

OMNI ANTENNA 5700 - 5900 MHz


Features of the 5700 MHz Omni Directional Antenna

- True to Specification Performance to minimize outside interference
- High Performance Design Eliminates Nulls
- Extra Strong UV Resistant Fiberglass Construction - Waterproof
- Stainless Steel Base and Stainless Steel Hardware
- Horizontal Polarization - IEEE 802.11 Compatible
- Lifetime Warranty Female N Connector
- For use with 1.5" - 2.0" Diameter mast/poles (40 - 50 mm)
- 45 to +70 Degrees Centigrade Operating Temperatures
- DC Ground for Lightning Protection
- Rugged U-Bolt Mounting Hardware with Muffler Brace
- Use for 5700 MHz Networks



Shipped Direct from Manufacturer

One Year Warranty, Repair or Replacement, Provided by Manufacturer

	OMNI	NLOS
	Base Station	ACCESS POINTS
		
SPECIFICATIONS		
Part Number	OM5712H	
Frequency Range	5700 - 5900 MHz	
Gain	12 dBi	
VSWR	1:5:1 Typical	
Impedance	50 Ohms	
Maximum Power	150 Watts	
Beamwidth	7	
Polarization	Horizontal	
PIM (dBm)	<107	
Structure	Aluminum	
Wind Velocity	130 mph/210 kmh	
Fits Mast Size	1.5"-2.0"/40-50 mm	
DC Ground	Photo	may not be exact model
www.1wirelessway.com		