

OMNI ANTENNA 760 - 780 MHz


Features of the 760 MHz Omni Directional Antenna

- True to Specification Performance to minimize outside Interference
- High Performance Design Eliminates Nulls
- Extra Strong Aluminum Construction - Waterproof
- Powder Coated Enclosure for rough environments
- Horizontal Polarization DOCSIS Compatible
- Lifetime Warranty 7/16 DIN Connector
- For use with 1.57"-3.54" Diameter mast/poles 40-90 mm)
- 45 to +70 Degrees Centigrade Operating Temperatures
- DC Ground for Lightning Protection
- Rugged Double Clamping Hardware System SS Hardware
- Use for 700 MHz Networks



Shipped Direct from Manufacturer

One Year Warranty, Repair or Replacement, Provided by Manufacturer

	OMNI	NLOS
	Base Station	None Line of Sight
		
SPECIFICATIONS		
Part Number	OM76011H	
Frequency Range	760 - 780 MHz	
Gain	11 dBi	
VSWR	1:5:1 Typical	
Impedance	50 Ohms	
Maximum Power	150 Watts	
Beamwidth	7.2 E	
PIM	<107	
Structure	Aluminum One Element	
Wind Velocity	130 mph/210 kmh	
DC Ground	Photo	may not be exact model
www.1wirelessway.com		